

Statistical learning approaches applied to the calculation of scaling factors for radioactive waste characterization

Biagio Zaffora, Jean-Pierre Chevalier, Francesco La Torre, Catherine Luccioni, Matteo Magistris, Gilbert Saporta

► To cite this version:

Biagio Zaffora, Jean-Pierre Chevalier, Francesco La Torre, Catherine Luccioni, Matteo Magistris, et al.. Statistical learning approaches applied to the calculation of scaling factors for radioactive waste characterization. 14th Congress of the International Radiation Protection Association, May 2016, Cape Town, South Africa. 10.13140/RG.2.1.3956.8240. hal-02507380

HAL Id: hal-02507380 https://cnam.hal.science/hal-02507380

Submitted on 13 Mar 2020

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers. L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés. See discussions, stats, and author profiles for this publication at: https://www.researchgate.net/publication/303015977

Statistical learning for radioactive waste characterization

Poster · May 2016

DOI: 10.13140/RG.2.1.3956.8240

CITATIONS 0		READS 26
0		20
1 author:		
	Biagio Zaffora CERN	
	14 PUBLICATIONS 15 CITATIONS SEE PROFILE	

Some of the authors of this publication are also working on these related projects:

Project

Radiological characterization of radioactive waste produced at particle accelerators View project

Statistical learning for radioactive waste characterization



Biagio Zaffora,^{*a} Jean-P. Chevalier,^b Francesco P. La Torre,^a Catherine Luccioni,^b Matteo Magistris,^a Gilbert Saporta^b ^aCERN, European Organization for Nuclear Research, 1211 Geneva 23, Switzerland ^bCNAM, Conservatoire National des Arts et Métiers, 75003 Paris, 2 Rue Conté, France

* Corresponding author: biagio.zaffora@cern.ch



Radiological characterization is needed to dispose of the radioactive waste produced in high energy particle accelerators. We applied statistical learning methods to predict the activity of Difficult-to-Measure radionuclides – which are low-energy X, α - and β -emitters –, to establish criteria for sorting radioactive waste and to quantify prediction errors.

Introduction

- **DTM** Difficult-to-Measure nuclides cannot be easily quantified by non-destructive assay means. Their activity a_{DTM} is often correlated to the concentration of γ -emitters.
 - **CF** If a_{DTM} is correlated with the activity a_{KN} of a major γ -emitter called Key Nuclide KN we can estimate a_{DTM} using a Correlation Factor CF:

$$a_{DTM} = CF \times a_{KN}$$

We conducted an extensive numerical experiment to predict the behaviour of CFs. **Simulations**

We generated $\sim 2.4 \times 10^6$ CERN activation scenarios. For each scenario:

- \bullet We extrapolated the Radionuclide Inventory \Rightarrow List of produced nuclides
- We identified the Key Nuclide
- \bullet We calculated the Correlation Factor for each pair ${\rm DTM}/{\rm KN}$

Statistical learning methods

- We used Decision Trees and Multiple Linear Regression to estimate average CFs and to find possible sorting criteria
- We used Bagging, Random Forests and k-fold Cross Validation to minimize variances and to quantify Prediction Errors
- ISO Standard 16966. Theoretical activation calculation method to evaluate the radioactivity of activated waste generated at nuclear reactors (2013).

Input Space

The features X considered for the statistical models are:

- Beam Energy \Rightarrow 6 levels from 160 MeV (Linac 4) up to 7 TeV (LHC)
- Location Inside Tunnel \Rightarrow 7 levels
- \bullet Irradiation Time \Rightarrow Spaced grid from 0.25 up to 30 years
- Decay Time \Rightarrow Spaced grid from 1 up to 40 years

Multiple Linear Regression

• We studied the effects of the predictors X_i on CF using linear models:

$$CF = \beta_0 + \sum_{i=1}^{p} \beta_i X_i + \epsilon$$

- We used Best Subset Selection. Features are chosen using \Rightarrow Mallow's C_p coefficient, Bayesian Inference Criterions, Adjusted R² or Akaike Information Criterion
- We found that:
 - \Rightarrow Decay and Irradiation Times are the strongest predictors
 - \Rightarrow 5 levels of Beam Energy with the exception of 160 MeV can be grouped
 - \Rightarrow The feature Position inside the tunnel plays a minor role when predicting CFs

Prediction Error using k-fold Cross-Validation

- We used k-fold Cross-Validation CV_(k) to estimate Prediction Error
- Scenarios are randomly divided into k groups
- The model is fit on k-1 folds and MSE is calculated in the held-out fold
- The *k*-fold CV estimate is computed by averaging the calculated MSE:

$$CV_{(k)} = \frac{1}{k} \sum_{i=1}^{k} MSE_i$$

Regression Trees

- We used Regression Trees to identify groups of CFs using Binary Splitting
- The feature used to split minimizes the Residual Standard Errors
- Mean CFs are calculated at each node of the tree (red boxes in Figure 1)


Log-transformation, Training and Test data sets, Prediction Error

- The distribution of calculated CFs is log-normal ⇒ The logarithm of the data is calculated to normalize the observations
- The *n* data is split into training data set (m = n/2) and test data set (m = n/2) to build the tree and estimate the error on a new prediction
- The Prediction Error is the square root of the Mean Squared Error of Residuals:

$$MSE = rac{1}{m}\sum_{i=1}^{m}\left(y_i - \hat{f}(x_i)
ight)^{-1}$$

Example: The prediction error of the regression tree in Figure 1 is $0.62 \Rightarrow$ The average CF is affected by an error $e^{0.62} = 1.86$.

Figure 1: Regression Tree of $CF(^{3}H/^{22}Na)$ in Aluminium 6060



- $T_c \Rightarrow$ Decay Time
- $\bullet \ n \Rightarrow$ Number of scenarios in training set
- \blacksquare \Rightarrow Logarithm of the Correlation Factor

Variance Reduction using Bagging and Random Forests

Decision trees are often affected by high-variance \Rightarrow Different training data sets generate very differents outputs.

- We applied 2 known variance reduction techniques to reduce output variability
- We calculated the MSEs and we identified the method that minimizes the error **Bagging**
 - This method aggregates decision trees obtained by Bootstrapping observations from the training data set
 - The prediction error is calculated on the left-out bootstrapped data

Example: The prediction error of the bagged tree of $CF(^{3}H/^{22}N_{a})$ is 0.0062 \Rightarrow

Example: The prediction error $CV_{(10)}$ for CF(³H/²²Na) in Aluminium 6060, when all predictors are included, is $0.26 \Rightarrow$ The average CF is affected by an error $e^{0.26} = 1.3$

C.M. Bishop, *Pattern recognition and machine learning*, Springer (2006).

The importance of a variable is estimated as the Percentage Increase of MSE if the variable is removed from the model

Bagging reduces the variance of 2 orders of magnitude! Random Forests

 This technique is similar to bagging but it forces each split to consider only a subset of predictors ⇒ The trees are decorrelated

Example: The prediction error obtained applying random forests for $CF(^{3}H/^{22}Na)$ is 0.61 \Rightarrow No major improvement from the regression tree.

T. Hastie, R. Tibshirani and J. Friedman. *The elements of statistical learning. Data Mining, Inference, and Prediction*, 2nd Ed., Springer (2009).

Conclusions

To characterize radioactive waste produced in high-energy particle accelerators we must estimate the list of radionuclides produced (α -, β - and γ -emitters) and their activities.

- We estimated the activity of Difficult-to-Measure nuclides using the Correlation Method
- We used Regression Trees and Linear Models to predict Correlation Factors
- We applied Bagging, Random Forests and k-fold Cross-Validation to estimate Prediction Errors
- We identified splitting variables at the nodes of the regression trees as potential sorting criteria for radioactive waste